



GO ROGUE

WITH RULE-DEFYING MMA PERFORMANCE.

BREAK AWAY FROM CONVENTION WITH THE RULE-DEFYING ROGUE.

ENTRY-LEVEL PERFORMANCE.

Rogue's next-level technology gives you precise, professional, and consistent control for smooth, stable arc performance and low spatter levels across all types of MMA electrodes and weld positions. Adjustable hot start makes firing up your arc a breeze with even the most difficult electrodes. The adjustable arc force helps you increase penetration and prevent electrodes from sticking. Never before has an entry-level welder been packed with such high-quality performance.



BASIC POWER.

Throw away your preconceptions about welders in this class – Rogue's power stacks up against machines twice its price. Included Power Factor Control (PFC) technology allows for a highly efficient and steady arc that is resistant to power fluctuations. Rogue runs on 115 V or 230 V with flexible automatic input voltage compensation, which makes it ideal for both main and generator power. With 200 A, Rogue has the strength to crush jobs on thicker materials.

UNDERWHELMING STRENGTH.

No other machine at this price point comes close to matching Rogue's strength. Its robust and rigid fiberglass-moulded housing is built to withstand impact after impact, in the shop or in the field. Rogue is durable and weather resistant, with an IP23S rating for use in tough outdoor applications. Like every ESAB machine, Rogue comes with our industry-leading one-year warranty for unbeatable peace of mind. Goodbye, cheaply constructed welders.





LIMITED PORTABILITY.

Rogue's compact and lightweight design makes it easy to carry from job to job. It weighs in at just 8.2 kg, and its sturdy handle and included shoulder strap make it more comfortable than ever before to go wherever you need to. Plus, its stable arc performance means you can use upto 100 metres long input extension cables to work in even the most remote locations without affecting weld quality. It is the definition of a portable workhouse.

POOR USABILITY.

Rogue has been tested in laboratories around the world to ensure it rises to global performance and usability standards. Its easy-to-use interface contains a large, precise digital display that can be easily read from up to 25 m away.



SPECIFICATIONS																	
Product Specifications	Rogue ES200i PRO																
PFC Module	Yes																
Input Voltage	230 V 115 V																
Maximum Input Current	30 A 29 A																
I _{1eff}	15 A 14.5 A																
MMA Output Range	20-200 A 20-110 A																
TIG Output Range	10-200 A 10-140 A																
Open Circuit Voltage	78 V																
Duty Cycle	<table border="1"> <thead> <tr> <th>MMA</th> <th>MMA</th> </tr> </thead> <tbody> <tr> <td>200 A/28 V @ 25%</td> <td>110 A/24.4 V @ 25%</td> </tr> <tr> <td>129 A/25.2 V @ 60%</td> <td>70 A/22.8 V @ 60%</td> </tr> <tr> <td>100 A/24 V @ 100%</td> <td>55 A/22.2 V @ 100%</td> </tr> <tr> <th>TIG</th> <th>TIG</th> </tr> <tr> <td>200 A/18 V @ 25%</td> <td>140 A/15.6 V @ 25%</td> </tr> <tr> <td>129 A/15.2 V @ 60%</td> <td>90 A/13.6 V @ 60%</td> </tr> <tr> <td>100 A/14 V @ 100%</td> <td>70 A/12.8 V @ 100%</td> </tr> </tbody> </table>	MMA	MMA	200 A/28 V @ 25%	110 A/24.4 V @ 25%	129 A/25.2 V @ 60%	70 A/22.8 V @ 60%	100 A/24 V @ 100%	55 A/22.2 V @ 100%	TIG	TIG	200 A/18 V @ 25%	140 A/15.6 V @ 25%	129 A/15.2 V @ 60%	90 A/13.6 V @ 60%	100 A/14 V @ 100%	70 A/12.8 V @ 100%
	MMA	MMA															
200 A/28 V @ 25%	110 A/24.4 V @ 25%																
129 A/25.2 V @ 60%	70 A/22.8 V @ 60%																
100 A/24 V @ 100%	55 A/22.2 V @ 100%																
TIG	TIG																
200 A/18 V @ 25%	140 A/15.6 V @ 25%																
129 A/15.2 V @ 60%	90 A/13.6 V @ 60%																
100 A/14 V @ 100%	70 A/12.8 V @ 100%																
Generator	7 kVA 4 kVA																
Weight	8.2 kg																
Dimensions	403 x 153 x 264 mm																
Protection Class	IP23S																
ORDERING INFORMATION																	
Model Number	0700500074																



DELIVERY INCLUDES:

power source with 3 m main cable and plug, shoulder strap, electrode holder and 3 m return cable with clamp.

UNRIVALLED SERVICE AND SUPPORT.

Rogue, like every ESAB machine, is backed by our commitment to superior customer service and support. Our skilled customer service department is prepared to quickly answer any questions, address problems, and help with maintenance and upgrading of machines.

For more information on Rogue, visit esab.com/rogue.

1-YEAR WARRANTY.

ESAB's industry-leading service and support means that if customers do need help, they will be protected by the most comprehensive warranty in the business.



THE MACHINES AND METALS YOU NEED.

When choosing a top-performing welding machine, you should also choose top-performing ESAB filler metals to maximise your investment. Learn more by visiting esab.com/fillermetals.

XA00212226/EN_IN/05-06-20/ESAB reserves the right to alter specifications without prior notice



Registered and Head Office:

ESAB India Limited

13, 3rd Main Road, Industrial Estate,
Ambattur, Chennai - 600 058.

Tel: +91(0) 44 4228 1100, Fax: +91(0) 44 4228 1150

Email: info@esab.co.in | www.esabindia.com

